

An affordable, innovative and reliable multifunction device for impressive, high quality prints, scans and copies.

*WHAT DO YOU HAVE TO SAY?*




HP LaserJet M1120 MFP series





## Laser-quality prints at high speed



## HP's award winning assurance



PC Magazine Readers' Choice Award for service and reliability for 16 straight years. September 18, 2007—HP Printers

PC Magazine Readers' Choice Award logo is a trademark of Ziff Davis Publishing Holdings Inc. Used under license.

## Around the clock service and support



## HP—chosen by consumers as the world's most reliable printer brand

## Maximise business efficiency

This MFP delivers up to 20 pages-per-minute (ppm)<sup>4</sup> using the processing power and memory of the host. Experience minimal disruptions with paper handling capacity of up to 250 sheets plus a 10-sheet input priority tray.

## HP's LaserJet quality and reliability

### Look sharp with minimal effort

Print large, graphics-intensive files quickly, made possible with a powerful 230 MHz processor and 32 MB RAM. What's more, scanning an image or document using the MFP's flatbed scanner is fast and simple—up to 1200 dpi and 12 ppm for consistent professional quality.

### Proven reliability

PC Magazine (September 2007) recently bestowed HP the Reader's Choice Award in its annual service and reliability survey for the 16th year in a row.

### Be assured of award-winning customer service and support

HP LaserJets are backed with a one-year limited warranty including phone support and 24/7 one-stop access to tools and information for self-help troubleshooting. You can also choose to enhance your warranty protection with a wide selection of affordable HP Care Pack Services.


<sup>1</sup> Studies from Quality Logic show the typical print job is three to five pages. Instant-on Technology uses cutting-edge fuser technology to produce the first page faster when a printer is coming out of PowerSave mode so your print job is done sooner.

<sup>2</sup> Instant-on technology allows printers to respond to jobs instantly without using energy to keep the print mechanism constantly warm.

<sup>3</sup> Please check with your local HP office for availability.

<sup>4</sup> Exact speed varies depending on the system configuration, software program, and document complexity. Copy speed measured by a single page on the flatbed glass with number of copies set to 99. Based on ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.

## HP LaserJet M1120 MFP series



## Series at a glance

### HP LaserJet M1120 MFP

Base model:

- 250-sheet multipurpose input tray, 10-sheet priority input tray, and 125-sheet output bin
- Up to 20 pages-per-minute<sup>4</sup>
- Hi-Speed USB 2.0 port
- Flatbed scanner for copying and colour scanning
- 32 MB RAM and 230 MHz processor
- Kensington Lock option

### HP LaserJet M1120n MFP

All the features of the base model, plus:

- HP Jetdirect Fast Ethernet Print Server

# HP LaserJet M1120 MFP series



HP LaserJet M1120 MFP (CB537A)



HP LaserJet M1120n MFP (CC459A)

## Technical specifications

<b>Print speed<sup>1</sup></b>	Up to 19 ppm A4 (20 ppm letter)
<b>First-page-out</b>	Printing: less than 7 seconds from PowerSave mode Copying: less than 10.5 seconds from PowerSave mode
<b>Resolution, enhancement technologies</b>	Printing: HP Resolution Enhancement (REI) and FastRes 1200 technology Copying: up to 600 x 600 dpi Scanning: up to 1200 x 1200 dpi (up to 19,200 dpi enhanced)
<b>Features</b>	2-line LCD text display, Asian character support, 16-character display, menu and navigation buttons, copy control buttons, cancel button
Control panel	Manual duplex and booklet printing, N-up printing, Collation, Watermarks, Economode for toner savings (30%)
Printing	1 to 99 multiple copies, reduce/enlarge from 25 to 400%, 2-up or 4-up allowing 2 or 4 pages to be copied onto 1 page, contrast (lighter/darker), resolution copy quality (draft, text, mixed, and film photo)
Copying	Flatbed scanner up to letter/A4 size; interfaces: colour scanning via HP LaserJet Scan application and TWAIN- or WIA-compliant software; supported file types: JPEG, TIFF, PDF, GIF, and BMP
Scanning	
<b>Processor</b>	230 MHz
<b>Memory/storage</b>	32 MB RAM
<b>Maximum monthly duty cycle<sup>2</sup></b>	Up to 5,000 pages
<b>Paper</b>	
Handling	10-sheet priority input tray, 250-sheet multipurpose input tray, 125-sheet output bin, manual two-sided printing
Sizes	Priority input tray: 76 x 127 mm (3 x 5 inches) to 216 x 356 mm (8.5 x 14 inches); letter, legal, envelopes (No. 5 1/2 Baronial through No. 11), index cards, postcards; A4, A5, ISO B5, ISO C5, ISO C5/6, ISO C6, ISO DL, 16K, European postcard, J postcard (Hagaki), J double postcard (Ofufuku Hagaki); 250-sheet tray: 76 x 127 mm (3 x 5 inches) to 216 x 356 mm (8.5 x 14 inches); letter, legal; A4, A5, A6, B5, postcards, envelopes (B5, C5, DL)
Weights	Priority input tray: 42 to 260 g/m <sup>2</sup> (11 to 69 lb); 250-sheet tray: 60 to 163 g/m <sup>2</sup> (16 to 43 lb)
Types	Paper (plain, LaserJet), envelopes, transparencies, labels, cardstock, postcards
<b>Connectivity</b>	<b>HP LaserJet M1120 MFP:</b> Hi-Speed USB 2.0 port <b>HP LaserJet M1120n MFP:</b> Hi-Speed USB 2.0 port, Ethernet port
Interfaces	Microsoft Windows® 2000, Windows XP® Professional, Windows Server 2003, Windows Vista®; Mac OS X v10.3 and higher (full solution)
Client operating systems	Microsoft Windows® 2000, Windows XP® Professional, Windows Server 2003, Windows Vista®; Mac OS X v10.3 and higher (full solution)
Network operating systems	
<b>Security</b>	Kensington Lock
<b>Dimension (w x d x h)</b>	457 x 369 x 322 mm (18.0 x 14.5 x 12.7 inches)
<b>Weight</b>	8.6 kg (18.95 lb)
<b>What's in the box</b>	HP LaserJet M1120 series MFP, power cord(s), introductory HP LaserJet black print cartridge, <sup>3</sup> Getting Started Guide, support flyer, software and documentation CDs, control panel overlay, Readiris PRO text recognition software, 250-sheet input tray, output bin support
<b>Warranty</b>	One-year limited warranty
<b>Environmental ranges</b>	
<b>Temperature</b>	Recommended: 15 to 32.5 °C (59 to 90.5 °F) Storage: 0 to 40 °C (32 to 104 °F)
<b>Relative humidity</b>	Operating: 20 to 70%, non-condensing Storage: 10 to 80%, non-condensing
<b>Altitude</b>	0 to 3,100 m (0 to 10,000 ft)
<b>Power consumption<sup>4</sup></b>	Printing: 370 watts; Copying: 227 watts; Ready: 7 watts; Off: 0.1 watts Typical Electricity Consumption (TEC): 1.534 kWh/Week; ENERGY STAR® qualified models, see <a href="http://www.hp.com/go/energystar">www.hp.com/go/energystar</a>
<b>Acoustics<sup>5</sup></b>	Sound power Active: 6.5 B(A) printing, 6.9 B(A) copying; Ready: inaudible; Bystander sound pressure: Active: 52.2 dB(A) printing, 55.4 dB(A) copying; Ready: inaudible
<b>Required input voltage<sup>4</sup></b>	110-volt models: 110 to 127 volts (±10%), 50/60 Hz (±2 Hz), 4.5 amp 220-volt models: 220 to 240 volts (±10%), 50/60 Hz (±2 Hz), 2.6 amp
<b>Power certifications</b>	Safety: IEC 60950-1: 2001/EN 60950-1: 2001+A11; IEC 60825-1: 1993+A1: 1997+A2: 2001/EN 60825-1: 1994+A1: 2002+A2: 2001 (Class 1 Laser/LED Product); GB4943-1996 EMC: CISPR 22: 2005 /EN 55022:2006-Class B; EN 61000-3-2: 2000+A2; EN 61000-3-3: 1995+A1; EN 55024: 1998+A1+A2; FCC Title 47 CFR, Part 15 Class B 2/ICES-003, Issue 3; GB9254-1998
<b>HP SureSupply enabled</b>	To learn more, please visit <a href="http://www.hp.com/go/suresupply">www.hp.com/go/suresupply</a>

<sup>1</sup> Exact speed varies depending on the system configuration, software program, and document complexity. Copy speed measured by a single page on the flatbed glass with number of copies set to 99. Based on ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.

<sup>2</sup> Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

<sup>3</sup> Average cartridge yield 1,000 standard pages. HP CB436A replacement print cartridge yields approximately 2,000 pages (Average cartridge yield 2,000 standard pages. Declared yield values in accordance with ISO/IEC 19752).

<sup>4</sup> Values subject to change. See [www.hp.com/support](http://www.hp.com/support) for current information. Power numbers are the highest values measured using all standard voltages.

<sup>5</sup> Acoustic values are subject to change. See [www.hp.com/support](http://www.hp.com/support) for current information. Configuration tested: M1120n model, simplex printing or copying.

## Ordering information

<b>Product</b>	Number
HP LaserJet M1120 MFP	CB537A
HP LaserJet M1120n MFP	CC459A
<b>Cables</b>	
Hi-Speed USB A to B printer cable (3-meter)	C6520A
HP Kensington Security Lock	PC766A
<b>Supplies</b>	
Replacement HP LaserJet Print Cartridge.	CB436A
Average cartridge yield 2,000 standard pages.*	
<b>Service and support</b>	
HP 1-year Next Business Day Exchange—E Service	UH755E
HP 2-year Next Business Day Exchange—E Service	UH756E
HP 3-year Next Business Day Exchange—E Service	UH757E
HP 1-year Post-Warranty Next Business Day Exchange—E Service	UH759PE
HP 2-year Return—E Service	UH763E
HP 3-year Return—E Service	UH764E
HP 1-year Post-Warranty Return—E Service	UH766PE
HP 1-year Pickup and Return—E Service	UH767E
HP 2-year Pickup and Return—E Service	UH768E
HP 3-year Pickup and Return—E Service	UH769E
HP 1-year Post-Warranty Pickup and Return —E Service	UH770PE
HP 1-year Onsite Exchange—E Service	UH771E
HP 2-year Onsite Exchange—E Service	UH772E
HP 3-year Onsite Exchange—E Service	UH773E
HP 1-year Post-Warranty Onsite Exchange—E Service	UH774PE
<b>Paper</b>	
Asia Pacific: <a href="http://www.hp.com/apac/printingsupplies">www.hp.com/apac/printingsupplies</a>	
Asia: 65-6253-8500	
Australia/New Zealand: 61-2997-2299LAR	
<b>Third-party Solutions</b>	
<a href="http://www.hp.com/go/gsc">www.hp.com/go/gsc</a>	

\* Declared yield value in accordance with ISO/IEC 19752.

### HP Customer Information Centre


(for product information)

Australia	13 23 47
China	800 820 2255
Hong Kong	800 938 833
India	1600 425 4999 (from MTNL/BSNL LAN line) 3030 4499 (from mobile)
Indonesia	0800 1111 222
Korea	080 703 0700
Malaysia	1800 88 4848
New Zealand	0800 733 547
Philippines	1800 1441 6688
Singapore	1800 278 8100
Taiwan	0800 236 686
Thailand	+662 353 9000
Vietnam	+848 930 2814
Bangladesh, Bhutan, Brunei, Cambodia, Maldives, Nepal, Pakistan, Sri Lanka: Fax +65 6275 6707	

### HP Customer Care Centre

(for post-sales service)

Australia	13 10 47
China	800 810 3888
Hong Kong	+852 3002 8555
India	1600 112 267
Indonesia	+62 21 350 3408
Korea	+82 23270 0700
Malaysia	1800 805 405
New Zealand	0800 449 553
Philippines	+63 2 867 3551
Singapore	+65 6 272 5300
Taiwan	+886 2 8722 8000
Thailand	+662 353 9000
Vietnam	+848 823 4530



© Copyright 2007 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR mark are U.S. registered marks. Microsoft, Windows, and Windows XP are U.S. registered trademarks of Microsoft Corporation. Windows Vista is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries. Linux is a U.S. registered trademark of Linus Torvalds.

Printed in Singapore, 200700055-EER, December 2007

